

WMQ: Are z/OS & distributed platforms like oil and water?

Lyn Elkins
elkinsc@us.ibm.com
IBM ATS

Mark Taylor
marke_taylor@uk.ibm.com
IBM Hursley

Capitalware's MQ Technical Conference v2.0.1.3

Introduction

- One objective of MQ is isolating apps from needing to understand platforms
 - There is a common API that can be expressed in many languages
- Another objective is to have (reasonably) common operational model
 - Much of admin is the same on all platforms
- But it's not all the same
 - One dichotomy has always been whether to be natural to MQ-ness or behave like other things on the platform
 - Some features don't make sense on some platforms
 - For example, .Net interface is only on Windows
 - Some features have not been implemented everywhere for other reasons
- So there are differences, and that is what this presentation will cover
- Will base this on V7.1 (z/OS) and V7.5 (Distributed)

© 2013 IBM Corporation

Code Streams

- There are essentially two implementations of MQ from the Hursley lab
 - z/OS
 - Distributed (Windows, Unix, Linux, i)
 - There are some further subspecies variants like VSE or NSS
- Within the Distributed implementation, there are some platform unique features
 - But we won't discuss those here
 - Most platform-unique code abstracts OS facilities like locking or NLS or threads
- In the early days, some code was written for one and then “ported”
 - In particular, the channel code
 - Meant double-fixing, and re-porting for each release
- Internal architecture (eg tasks, threads) very different
 - But we won't discuss much of that. Understanding externals is more important
- Since V7.0, some code is truly common
 - Just one copy of the source part shared between both

© 2013 IBM Corporation

Sections

- Setting up
- Application Programming
- Administration

© 2013 IBM Corporation

How this presentation works

- Lyn will talk about z/OS in this color
- Mark will talk about Distributed in this colour

© 2013 IBM Corporation

Setting Up

© 2013 IBM Corporation

Getting started

- Lots of differences in initial installation and setup
- Getting the code on the box is part on the job
 - MQ uses native installation techniques for all platforms
 - Needs a suitably-authorized person to do that installation
 - SMPE for z/OS, installp for AIX, rpm for Linux etc
- But other differences primarily due to
 - Security
 - Storage
- Share philosophy of needing no more features than is found on any box
 - So no prereq software for core capabilities of MQ
 - But can exploit things that we know are there
 - For example, on z/OS we use the system-provided SSL
 - Some extended capabilities may have additional prereqs
 - Shared Queues need DB2

© 2013 IBM Corporation

Security

- On Distributed, MQ implements its own authorisation mechanism
 - There is no generally-accepted standard interface on these systems
- And relies on the existence of certain userids
 - There are differences even between individual platforms
- On z/OS, MQ exploits the common authorization interface, SAF
 - And so the z/OS security administrator has to be involved
 - Define the profiles etc.
- Will look more at security later on

© 2013 IBM Corporation

Storage (Distributed)

- On Distributed, MQ uses directories such as /var/mqm/qmgrs and /var/mqm/logs
 - The system administrator will probably allocate filesystems and mount them
 - These days, may have separate SAN administrator
- Each queue has its own file within the filesystem
 - To store the message data
 - Each queue could hold 1TB
- Queues do not interfere with each other's storage requirements
 - Subject to max size of filesystem
- Logs can be LINEAR or CIRCULAR
 - Choice made when qmgr is created
 - With linear logging, you then need a job to remove old log files
 - MQ does not directly implement dual-logging; relies on RAID filesystems

© 2013 IBM Corporation

Storage (z/OS)

- Queues are handled via pagesets and bufferpools
- Multiple queues may use the same pageset and bufferpool
 - Can lead to storage contention
- No direct equivalent of circular logging but constraints can be applied to achieve a similar effect
 - Semi-circular?
 - Active logs are 'almost like circular', with offloading to archive logs
- Logs are managed via the BSDS
- MQ understands and implements Dual Logging
- Tool provided to format and extract messages from log

© 2013 IBM Corporation

Shared Queues

- A z/OS-unique feature
 - Multiple queue managers can see the same queue
 - Continuous processing of messages from a queue even when one LPAR fails
- Relies on the Coupling Facility hardware
 - And relies on DB2 Data Sharing
- Results in several unique possibilities
 - Inter-qmgr communication without standard channels
 - Dynamic selection of which qmgr to connect to
- Effects appear in many places
 - For example, single MQSC command can be issued to multiple queue managers giving multiple responses

© 2013 IBM Corporation

Extra Features

- MQ V7.5 on Distributed incorporated MFT (nee FTE) and AMS
- On z/OS, these are available as separate products
- Distributed MQ has the MQXR service for mobile (MQTT) clients
 - Not available on z/OS
 - Expected that mobile clients connect via front-end qmgr before hitting z/OS apps

© 2013 IBM Corporation

Application Programming

© 2013 IBM Corporation

General

- Default codepages and encoding differ by platform
- Always use the header files for your platform
 - Don't be tempted to cross-compile
- Maximum lengths of fields may vary
- MQI return codes may be different
 - Often because underlying storage mechanisms have different error conditions
 - For example, Coupling Facility errors on shared queues
- z/OS does not have MQ clients
 - Some parameters to some verbs only apply in client environments
 - For example, the MQCD passed during MQCONN

© 2013 IBM Corporation

API - Connections

- MQCONN/MQCONN
 - Verbs not required for CICS transactions
 - MQHC_DEF_HCONN can be used for subsequent verbs in applications
 - ConnTag is available to control serialization
 - An application (especially an MCA) can tell if another instance of itself is already running
 - On either the same local qmgr or any other in the QSG
 - Group connection to QSG
 - Lots of client-only options for connection
 - MQCD can be specified
 - Reconnect options
 - MQCNO_SHARED options for multi-threaded applications
 - Controls whether an hConn can be (serially) used by other threads in the same process
 - Fastpath binding
 - Control of accounting
 - When accounting information is being collected, some apps may request exclusion

© 2013 IBM Corporation

API - Disconnections

- MQDISC
 - Always recommended
 - Rollback when application abends
 - Although definition of "abend" is not clear in every case
 - CICS and IMS do make it clear!
 - A JVM has been known to return OK to the operating system even when the user's code has caused a fatal exception
 - Rollback when not used and application ends

© 2013 IBM Corporation

API - Objects

- MQOPEN
 - Default dynamic queue names begin with CSQ.* or AMQ.*
 - Distributed can open multiple queues simultaneously via Distribution List
 - Publish/Subscribe preferred cross-platform model
- MQCLOSE
 - No platform differences in practice
- MQSET
 - Follows the same rules as MQSC attributes for platforms
- MQINQ
 - Follows the same rules as MQSC attributes for platforms

© 2013 IBM Corporation

API - Messages

- MQPUT/MQPUT1
 - Messages can be automatically segmented
 - But Message groups are cross-platform
 - Distributed supports "Reference messages" which can avoid putting large amounts of data on a queue
- MQGET
 - z/OS has "get with signal" to asynchronously notify app when messages appear
 - MQCB is now preferred cross-platform model
 - z/OS has MARK_SKIP_BACKOUT for simpler processing of poison messages
 - Bad messages can be moved to an application-specific DLQ while backing out other resource changes
 - Distributed can get portions of messages via segmentation
- MQSUB
 - No platform differences
- MQSUBRQ
 - No platform differences

© 2013 IBM Corporation

API – Flow control

- MQCB
 - Definition of the callback function in MQCBD varies by environment
 - eg C function pointer, CICS program name
- MQCTL
 - Not in IMS adapter
 - On z/OS, apps must be authorized to use USS
- MQSTAT
 - Client applications only
 - But usable regardless of server platform

© 2013 IBM Corporation

API - Properties

- MQDLTMP
- MQBUFMH
- MQCRTMH
- MQDLTMH
- MQMHBUF
- MQSETMP
- MQINQMP

- No platform differences

© 2013 IBM Corporation

API - Transactions

- MQBEGIN
 - Only available on Distributed
 - z/OS always has a transaction manager available
- MQCMIT
 - On all platforms when not running under external TM
- MQBACK
 - On all platforms when not running under external TM
- Default for MQ transactional behaviour is different
 - MQI on Distributed assumes NO_SYNCPOINT
 - MQI on z/OS assumes SYNCPOINT
 - Always specify syncpoint options on MQI calls
- Environments for two-phase transactions differ
 - On z/OS, RRS CICS and IMS are all available for transaction management
 - On Distributed, XA is available as the standard interface
 - And MQ can act as a transaction manager

© 2013 IBM Corporation

Exits

- z/OS has API-Crossing exit for CICS
 - But no other environments
- Distributed has API exit for all environments
 - With a very different interface
- Installable Services on Distributed
 - But very few people write these so not too interesting
 - Primarily used for the OAM security module
- Channel send exit – ExitSpace field
 - Used to reserve space in network transmission buffers for send exits
 - Always zero on z/OS
- No publish exit on z/OS
- z/OS exits have MQXWAIT
 - Necessary because process/thread model for channels is different

© 2013 IBM Corporation

Administration

© 2013 IBM Corporation

Object Definitions

- Attributes and ini files
 - Some items are queue manager attributes on one platform but not other
 - z/OS has lots related to its storage
- Some unique object types
 - z/OS has **STGCLASS**
 - Distributed has **SERVICES** and **COMMINFO**
- Startup
 - **CSQZPARM** is assembled/linked and other inputs run during startup
 - Reset configuration, define default objects etc
 - On Distributed, standard objects are created by qmgr creation and updated during migration

© 2013 IBM Corporation

Queue Manager operations

- Message Expiry
 - z/OS has explicit config for timing of task to remove expired messages
 - Distributed has a similar task but no documented configuration
- Security Cache Scavenger
 - z/OS has parameters to control authority cache lifetime
 - No equivalent on Distributed; use REFRESH SECURITY explicit command
- Storage Scavengers
 - z/OS has tasks to release bufferpool and pageset storage
 - Distributed will release queue file storage at intervals
- Queue Indexing
 - z/OS has explicit indexes on queues to assist with retrieval patterns
 - Distributed has hashing to perform similar role but no documented configuration

© 2013 IBM Corporation

Intercommunication and Clusters

- Channels are the same
- Clustering is essentially the same across all platforms
- MQ 7.5 introduced concept of multiple cluster transmission queues

© 2013 IBM Corporation

Security – Access Control

- z/OS
 - Uses system-provided interface for authorization
 - SAF is common API to RACF, Top Secret, ACF2
 - Has to work with the 4 permissions available in SAF
 - No distinction between PUT and GET
 - Often alias queues are used to isolate permissions
 - Granular control of "impersonation" (setting context, alt-user)
 - One operation may result in several authorization queries

- Distributed
 - MQ-provided authorisation interface
 - Implemented in the OAM
 - Many permissions on objects
 - Global controls on impersonation
 - If you have authority to use alt-user, there are no constraints on which user
 - Well-known "mqm" id for full authority

© 2013 IBM Corporation

Commands

- Basic OS-level commands are different
 - Create, start, stop, delete queue manager procedures
 - Distributed has command-line interface
 - z/OS has JCL

- Issuing configuration commands like ALTER QLOCAL
 - Distributed has runmqsc shell
 - z/OS has ISPF panels for most commands
 - And the +cpf commands for runmqsc equivalence
 - MQ Explorer is product-provided common GUI

- Common programming interface (PCF) for configuration commands
 - z/OS requires an "extended" format which may have multiple sets of responses
 - Supporting a Queue Sharing Group environment
 - Distributed supports the same format but not the default
 - Differences are hidden in the Java PCF classes



© 2013 IBM Corporation

Monitoring

- Many queue manager event messages are common
 - For example, queue full
- But not every event is on every platform
 - Authorisation, Logging, and Channel auto-definition events are Distributed only
 - IMS Bridge events are only on z/OS
- Recording queue manager and application activity is very different
 - z/OS has SMF 115 and 116 records
 - Distributed has accounting, statistics and application activity events
- Distributed accounting and stats events are analogous to SMF 116
 - No equivalent to 115 records

© 2013 IBM Corporation

Events Images



© 2013 IBM Corporation

Problem Determination

- On Distributed, there are several places to look for PD information
 - Error logs written to `/var/mqm/errors` and `/var/mqm/qmgrs/<qmgr>/errors`
 - FFST written to `/var/mqm/errors` for serious errors
 - Trace provided by MQ commands and written to `/var/mqm/trace`
- On z/OS, also numerous places to follow the clues:
 - The MSTR and CHIN JES log
 - Should always be the first place to look
 - MQ API trace (aka user parameter trace) – a GTF trace
 - SMF 115 statistical information
 - SMF 116 class(3) accounting (task related) data
 - A dump for serious problems

© 2013 IBM Corporation

Backup

- MAKEDEF and `dmpmqcfg` are tools to backup configuration
- On Distributed, backup of log files is done by stopping qmgr and copying `/var/mqm/log` directory
 - `rcdmqing` takes images of queues into logs
- On z/OS, full and fuzzy backups of pagesets are supported
- CFSTRUCT backup required for QSG
 - takes image of shared queue into logs

© 2013 IBM Corporation

High Availability and Disaster Recovery

- Shared queues on z/OS for continuous processing
- On Distributed, MQ provides multi-instance
 - Not on z/OS because ARM is provided
- Cross-site DR will usually use disk replication for any platform

© 2013 IBM Corporation

Summary

- Title asks about oil and water
- Perhaps (olive) oil and (balsamic) vinegar is better description
 - Blending together

© 2013 IBM Corporation